Author Index

Adamek, V., Liu, X.-C., Zhang, Y. A., Adamkova, K. and Scouten, W. H.
New aliphatic boronate ligands for affinity chromatography 625(1992)91

Adamkova, K., see Adamek, V. 625(1992)91

Appel, J. R., see Büttner, K. 625(1992)191

Araki, T., see Hosoya, K. 625(1992)121

Barbaro, A. M., see Biagi, G. L. 625(1992)392

Bartunik, H. D., see Jacob, L. R. 625(1992)47

Bartunik, L. J., see Jacob, L. R. 625(1992)47

Bayona, J. M., see Fernandez, P. 625(1992)141

Bello, M. S., Chiari, M., Nesi, M., Righetti, P. G. and Saracchi, M.
Prediction of current–voltage dependence and electrochemical calibration for capillary zone electrophoresis 625(1992)323

Bemgård, A. K., see Janák, K. 625(1992)311

Biagi, G. L., Barbaro, A. M., Sapone, A. and Recanatini, M.
Thin-layer chromatographic study of the lipophilicity of triazine herbicides. Influence of different organic modifiers 625(1992)392

Bielejewska, A., see Sybilska, D. 625(1992)349

Biersack, H., see Boege, F. 625(1992)67

Blomberg, L. G., see Janák, K. 625(1992)311

Blondelle, S. E., Büttner, K. and Houghten, R. A.
Evaluation of peptide–peptide interactions using reversed-phase high-performance liquid chromatography 625(1992)199

Boege, F., Gieseler, F., Müller, M., Biersack, H. and Meyer, P.
Activation of topoisomerase II during partial purification by heparin–Sepharose chromatography 625(1992)67

Bonn, G. K., see Oefner, P. J. 625(1992)331

Brinkman, U. A. T., see Vreuls, J. J. 625(1992)237

Büttner, K., see Blondelle, S. E. 625(1992)199

Büttner, K., Pinilla, C., Appel, J. R. and Houghten, R. A.
Anomalous reversed-phase high-performance liquid chromatographic behavior of synthetic peptides related to antigenic helper T cell sites 625(1992)191

Cahnmann, H. J., see Ito, Y. 625(1992)177

Canova-Davis, E., see Teshima, G. 625(1992)207

Chiari, M., see Bello, M. S. 625(1992)323

Choi, Y. C., see Lie Ken Jie, M. S. F. 625(1992)271

Colmsjö, A. L., see Janák, K. 625(1992)311

Cui, Y., Lee, S. T., Olesik, S. V., Flory, W. and Mearini, M.
Retention of C_{60} and C_{70} fullerenes on reversed-phase high-performance liquid chromatographic stationary phases 625(1992)131

De Jong, A. L., see Wils, E. R. J. 625(1992)382

De Jong, G. J., see Kuijpers, P. H. 625(1992)223

De Jong, G. J., see Vreuls, J. J. 625(1992)237

Deppert, W. R., Normann, J. and Wagner, E.
Adenylate kinase from plant tissues. Influence of ribonuclease on binding properties on Mono Q 625(1992)13

Dernick, R. and Stadtler, J.
Foreword 625(1992)1

Dimov, N. and Ivanov, C.
High-performance liquid chromatographic separation of intermediate products and potential impurities by the synthesis of roxatidin 625(1992)368

Duez, P., see Schenkel, E. 625(1992)289

Duszczyk, K., see Sybilska, D. 625(1992)349

Eakins, M. N., see White, G. 625(1992)157

Elrod, Jr., L., Golich, T. G. and Morley, J. A.
Determination of benzalkonium chloride in eye care products by high-performance liquid chromatography and solid-phase extraction or on-line column switching 625(1992)362

Entian, K.-D., see Jacob, L. R. 625(1992)47

Fales, H. M., see Ito, Y. 625(1992)177

Fernandez, P. and Bayona, J. M.
Use of off-line gel permeation chromatography–normal-phase liquid chromatography for the determination of polycyclic aromatic compounds in environmental samples and standard reference materials (air particulate matter and marine sediment) 625(1992)141

Flory, W., see Cui, Y. 625(1992)131

Fritz, J. S. and Junk, G. A.
Use of macroreticular resins in the analysis of water for trace organic contaminants, by G. A. Junk, J. J. Richard, M. D. Grieser, D. Witiak, J. L. Witiak, M. D. Arguello, R. Vick, H. J. Svec, J. S. Fritz and G. V. Calder, *J. Chromatogr.*, 99 (1974) 745–762 625(1992)87

Furuta, R. and Nakazawa, H.
Liquid chromatographic separation of the enantiomers of diniconazole using a β-cyclodextrin-bonded column 625(1992)231

Gerding, T. K., see Kuijpers, P. H. 625(1992)223

Ghijsen, R. T., see Vreuls, J. J. 625(1992)237

Gieseler, F., see Boege, F. 625(1992)67

Golich, T. G., see Elrod, Jr., L. 625(1992)362

Hägglund, I., see Janák, K. 625(1992)311

Hanocq, M., see Schenkel, E. 625(1992)289

Herzig, C. M., Schoeppe, W. and Scherberich, J. E.
Angiotensinase A (aminopeptidase A): properties of chromatographically purified isoforms from human kidney 625(1992)73

Hong, M., see Zou, H. 625(1992)169

Horii, I., see Koyama, J. 625(1992)217

Hosoya, K., Maruya, S., Kimata, K., Kinoshita, H., Araki, T. and Tanaka, N.
Polymer-based packing materials for reversed-phase liquid chromatography. Steric selectivity of polymer gels provided by diluents and cross-linking agents in suspension polymerization 625(1992)121

Houghten, R. A., see Blondelle, S. E. 625(1992)199

Houghten, R. A., see Büttner, K. 625(1992)191

Huber, C. G., see Oefner, P. J. 625(1992)331

Hulst, A. G., see Wils, E. R. J. 625(1992)382

Hürster, A., see Schlüter, H. 625(1992)3

Ingendoh, A., see Schlüter, H. 625(1992)3
Inoue, Y., see Soga, T. 625(1992)151
Ishibashi, M., see Toyo'oka, T. 625(1992)357
Ito, Y., Shibusawa, Y., Fales, H. M. and Cahnmann, H. J.
Studies on an abnormally sharpened elution peak observed in counter-current chromatography 625(1992)177
Itokawa, Y., see Satomura, Y. 625(1992)372
Ivanov, C., see Dimov, N. 625(1992)368
Iwaki, K., Yamazaki, M., Nimura, N. and Kinoshita, T.
Optimization of naphthylethylurea multiple-bonded chiral stationary phases for optical resolution of enantiomeric amino acid derivatives 625(1992)353
Iwase, H.
Determination of nicotinamide and pyridoxine in an elemental diet by column-switching high-performance liquid chromatography with UV detection 625(1992)377
Jacob, L. R., Vollert, H., Rose, M., Entian, K.-D., Bartunik, L. J. and Bartunik, H. D.
Fast high-performance liquid chromatographic purification of *Saccharomyces cerevisiae* phosphoenolpyruvate carboxykinase 625(1992)47
Janák, K., Hägglund, I., Blomberg, L. G., Bemgård, A. K. and Colmsjö, A. L.
Universal set-up for measurement of diffusion coefficients in supercritical carbon dioxide with flame ionization detection 625(1992)311
Jungbauer, A., see Vorauer, K. 625(1992)33
Junk, G. A., see Fritz, J. S. 625(1992)87
Jurczak, J., see Sybilska, D. 625(1992)349
Karas, M., see Schlüter, H. 625(1992)3
Kastner, M. and Neubert, D.
Purification of cytochromes P-450 derived from liver microsomes of untreated and 2,3,7,8-tetrachlorodibenzo-*p*-dioxin-treated marmoset monkeys 625(1992)55
Katona, T., see White, G. 625(1992)157
Kimata, K., see Hosoya, K. 625(1992)121
Kimura, M., see Satomura, Y. 625(1992)372
Kinoshita, H., see Hosoya, K. 625(1992)121
Kinoshita, T., see Iwaki, K. 625(1992)353
Kitamoto, D., see Shinbo, T. 625(1992)101
Komenda, J., see Ritter, S. 625(1992)21
Koyama, J., Nomura, J., Shiojima, Y., Ohtsu, Y. and Horii, I.
Effect of column length and elution mechanism on the separation of proteins by reversed-phase high-performance liquid chromatography 625(1992)217
Krivoy, N., see Schlüter, H. 625(1992)3
Kuijpers, P. H., Gerding, T. K. and De Jong, G. J.
Improvement of the liquid chromatographic separation of the enantiomers of tetracyclic eudistomins by the combination of a β-cyclodextrin stationary phase and camphorsulphonic acid as mobile phase additive 625(1992)223
Kvernheim, A. L., see Wesén, C. 625(1992)257
Larsson, P., see Wesén, C. 625(1992)257
Lee, S. T., see Cui, Y. 625(1992)131
Li, S. and Purdy, W. C.
Direct separation of enantiomers using multiple-interaction chiral stationary phases based on the modified β-cyclodextrin-bonded stationary phase 625(1992)109
Lie Ken Jie, M. S. F. and Choi, Y. C.
Gas chromatography–mass spectrometry of the picolinyl ester derivatives of deuterated acetylenic fatty acids 625(1992)271
Liu, C., see Robbat, Jr., A. 625(1992)277
Liu, T.-Y., see Robbat, Jr., A. 625(1992)277
Liu, X.-C., see Adamek, V. 625(1992)91
Lu, P., see Zou, H. 625(1992)169
Ma, Y. and Zhang, R.
Optimization of indirect photometric detection of anions in high-performance capillary electrophoresis 625(1992)341
Maruya, S., see Hosoya, K. 625(1992)121
Mearini, M., see Cui, Y. 625(1992)131
Meier, B., see Mütsch-Eckner, M. 625(1992)183
Meyer, P., see Boege, F. 625(1992)67
Morley, J. A., see Elrod, Jr., L. 625(1992)362
Mu, H., see Wesén, C. 625(1992)257
Müller, M., see Boege, F. 625(1992)67
Mütsch-Eckner, M., Sticher, O. and Meier, B.
Reversed-phase high-performance liquid chromatography of S-alk(en)yl-L-cysteine derivatives in *Allium sativum* including the determination of (+)-S-allyl-L-cysteine sulphoxide, γ-L-glutamyl-S-allyl-L-cysteine and γ-L-glutamyl-S-(*trans*-1-propenyl)-L-cysteine 625(1992)183
Nakazawa, H., see Furuta, R. 625(1992)231
Nathakarnkitkool, S., see Oefner, P. J. 625(1992)331
Nesi, M., see Bello, M. S. 625(1992)323
Neubert, D., see Kastner, M. 625(1992)55
Nielen, M. W. F.
Separation of phenylenediamine isomers by capillary zone electrophoresis 625(1992)387
Nimura, N., see Iwaki, K. 625(1992)353
Nomura, J., see Koyama, J. 625(1992)217
Normann, J., see Deppert, W. R. 625(1992)13
Nowakowski, R., see Sybilska, D. 625(1992)349
Oefner, P. J., Bonn, G. K., Huber, C. G. and Nathakarnkitkool, S.
Comparative study of capillary zone electrophoresis and high-performance liquid chromatography in the analysis of oligonucleotides and DNA 625(1992)331
Ohtsu, Y., see Koyama, J. 625(1992)217
Olesik, S. V., see Cui, Y. 625(1992)131
Parbus, S., see Velleman, M. 625(1992)41
Pawliszyn, J., see Potter, D. W. 625(1992)247
Pinilla, C., see Büttner, K. 625(1992)191
Poe, D. P.
Model for retention and efficiency in open-tubular supercritical fluid chromatography 625(1992)299
Potter, D. W. and Pawliszyn, J.
Detection of substituted benzenes in water at the pg/ml level using solid-phase microextraction and gas chromatography–ion trap mass spectrometry 625(1992)247
Purdy, W. C., see Li, S. 625(1992)109

Recanatini, M., see Biagi, G. L. 625(1992)392
Righetti, P. G., see Bello, M. S. 625(1992)323
Ritter, S., Komenda, J., Šetlíkova, E., Šetlik, I. and Welte, W.
Immobilized metal affinity chromatography for the separation of photosystems I and II from the thermophilic cyanobacterium *Synechococcus elongatus* 625(1992)21
Robbat, Jr., A., Liu, C. and Liu, T.-Y.
Field detection of organochlorine pesticides by thermal desorption gas chromatography–mass spectrometry 625(1992)277
Rose, M., see Jacob, L. R. 625(1992)47
Sakaki, K., see Shinbo, T. 625(1992)101
Sapone, A., see Biagi, G. L. 625(1992)392
Saracchi, M., see Bello, M. S. 625(1992)323
Satomura, Y., Kimura, M. and Itokawa, Y.
Simultaneous determination of retinol and tocopherols by high-performance liquid chromatography 625(1992)372
Schenkel, E., Duez, P. and Hanocq, M.
Stereoselective determination of cucurbitine in *Cucurbita* spp. seeds by gas chromatography and gas chromatography–mass spectrometry 625(1992)289
Scherberich, J. E., see Herzig, C. M. 625(1992)73
Schlüter, H., Krivoy, N., Hürster, A., Ingendoh, A., Karas, M. and Zidek, W.
Application of cross-flow filtration to the purification of biologically active peptides in human plasma after incubation with a protease-rich extract 625(1992)3
Schoeppe, W., see Herzig, C. M. 625(1992)73
Schulz, P., see Vorauer, K. 625(1992)33
Scouten, W. H., see Adamek, V. 625(1992)91
Šetlik, I., see Ritter, S. 625(1992)21
Šetlíkova, E., see Ritter, S. 625(1992)21
Shibusawa, Y., see Ito, Y. 625(1992)177
Shinbo, T., Yamaguchi, T., Yanagishita, H., Kitamoto, D., Sakaki, K. and Sugiura, M.
Improved crown ether-based chiral stationary phase 625(1992)101
Shiojima, Y., see Koyama, J. 625(1992)217
Skias, M., see Vorauer, K. 625(1992)33
Soga, T., Inoue, Y. and Yamaguchi, K.
Determination of carbohydrates by hydrophilic interaction chromatography with pulsed amperometric detection using postcolumn pH adjustment 625(1992)151
Stadtler, J., see Dernick, R. 625(1992)1
Sticher, O., see Mütsch-Eckner, M. 625(1992)183
Sugiura, M., see Shinbo, T. 625(1992)101
Suzuki, T., see Takagi, T. 625(1992)163
Sybilska, D., Bielejewska, A., Nowakowski, R., Duszczyk, K. and Jurczak, J.
Improved chiral recognition of some compounds via the simultaneous use of β-cyclodextrin and its permethylated derivative in a reversed-phase high-performance liquid chromatographic system 625(1992)349
Takagi, T. and Suzuki, T.
Effect of temperature on chiral and achiral separations of diacylglycerol derivatives by high-performance liquid chromatography on a chiral stationary phase 625(1992)163
Tanaka, N., see Hosoya, K. 625(1992)121
Terabe, S.
Introduction to micellar electrokinetic chromatography (by J. Vindevogel and P. Sandra) (Book Review) 625(1992)397
Terao, T., see Toyo'oka, T. 625(1992)357
Teshima, G. and Canova-Davis, E.
Separation of oxidized human growth hormone variants by reversed-phase high-performance liquid chromatography. Effect of mobile phase pH and organic modifier 625(1992)207
Toyo'oka, T., Ishibashi, M. and Terao, T.
Resolution of carboxylic acid enantiomers by high-performance liquid chromatography with highly sensitive laser-induced fluorescence detection 625(1992)357
Trkola, A., see Vorauer, K. 625(1992)33
Velleman, M. and Parbus, S.
Purification of the C1 repressor of bacteriophage P1 by fast protein liquid chromatography 625(1992)41
Vollert, H., see Jacob, L. R. 625(1992)47
Vorauer, K., Skias, M., Trkola, A., Schulz, P. and Jungbauer, A.
Scale-up of recombinant protein purification by hydrophobic interaction chromatography 625(1992)33
Vreuls, J. J., Ghijsen, R. T., De Jong, G. J. and Brinkman, U. A. T.
Drying step for introduction of water-free desorption solvent into a gas chromatograph after on-line liquid chromatographic trace enrichment of aqueous samples 625(1992)237
Wagner, E., see Deppert, W. R. 625(1992)13
Welte, W., see Ritter, S. 625(1992)21
Wesén, C., Mu, H., Kvernheim, A. L. and Larsson, P.
Identification of chlorinated fatty acids in fish lipids by partitioning studies and by gas chromatography with Hall electrolytic conductivity detection 625(1992)257
White, G., Katona, T., Zodda, J. P. and Eakins, M. N.
Determination of the impurity profile of γ-cyclodextrin by high-performance liquid chromatography 625(1992)157
Wils, E. R. J., Hulst, A. G. and De Jong, A. L.
Determination of mustard gas and related vesicants in rubber and paint by gas chromatography–mass spectrometry 625(1992)382
Yamaguchi, K., see Soga, T. 625(1992)151
Yamaguchi, T., see Shinbo, T. 625(1992)101
Yamazaki, M., see Iwaki, K. 625(1992)353
Yanagishita, H., see Shinbo, T. 625(1992)101
Zhang, R., see Ma, Y. 625(1992)341
Zhang, Y., see Zou, H. 625(1992)169
Zhang, Y. A., see Adamek, V. 625(1992)91
Zidek, W., see Schlüter, H. 625(1992)3
Zodda, J. P., see White, G. 625(1992)157
Zou, H., Zhang, Y., Hong, M. and Lu, P.
Measurement of partition coefficients by reversed-phase ion-pair liquid chromatography 625(1992)169